

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 10/06/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/755,642	01/04/2001	William C. Terrell	39658.00011	4871	
75	90 10/06/2004	EXAMINER			
SQUIRE, SAI	NDERS & DEMPSEY	MARTINEZ, DAVID E			
Two Renaissan	ce Square				
Suite 2700			ART UNIT	PAPER NUMBER	
40 North Central Avenue			2182		
Phoenix, AZ	85004-4498				

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No).	Applicant(s)				
Office Action Summary		09/755,642		TERRELL ET AL.				
		Examiner		Art Unit				
		David E Martine	-	2182				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1)⊠	Responsive to communication(s) filed on	13 September 2004.						
2a)□	This action is FINAL . 2b)⊠	This action is non-fit	nal.					
3)□	Since this application is in condition for all	lowance except for fo	ormal matters, pro	secution as to the	e merits is			
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
4)🖂	Claim(s) 1-7 is/are pending in the applicat	tion.						
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)□	5) Claim(s) is/are allowed.							
6)□	☐ Claim(s) is/are rejected.							
7)	Claim(s) is/are objected to.							
8)⊠	8) Claim(s) 1-7 are subject to restriction and/or election requirement.							
Applicati	on Papers							
9)	The specification is objected to by the Exa	miner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority u	ınder 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 								
3. Copies of the certified copies of the priority documents have been received in this National Stage								
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.								
Coo the attached detailed office action for a list of the certified topies not received.								
Attachment(s)								
	e of References Cited (PTO-892)	4) 🗆	Interview Summary (
	e of Draftsperson's Patent Drawing Review (PTO-948 nation Disclosure Statement(s) (PTO-1449 or PTO/S		Paper No(s)/Mail Date Notice of Informal Page		D-152)			
	r No(s)/Mail Date	6)	7	•	·			

Response to Amendment

The election reply filed on 9/13/04 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

Although Applicant has taken the position of electing Group II consisting of claims 2, 6, and 7, when electing Group II, the election of either one of claims 2, 6, or 7 is required, as per stated in the restriction requirement sent out on 8/10/04.

See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment.

EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David E Martinez whose telephone number is (703) 305-4890. The examiner can normally be reached on 8:30-5:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey A Gaffin can be reached on (703) 308-3301. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Starting October, the examiner can be reached at the new telephone number (571) 272-4152 and new fax number (571) 273-4152.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 2182

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DEM

JEFFREY GAFFIN

SUPPAVISORY PATENT EXAMINE
TELLISORY CENTER 2100